

INDEX MAPS.

T. 30 N. R. 9 W. 2nd Mer.

	359	359	359	359	358	358
361	6	5	4	3	2	1 356
361	7	8	9	10	11	12 357
	<i>Beaver Lake.</i>					
361	18	17	16	15	14	13 357
360	19 367	20 367	21 365	22 364	23 362	24 357
360	30 368	29 366	28 365	27 364	26 362	25 357
360	31 367	32 366	33 364	34 363	35 362	36 358
	356	355	355	355	355	355

T. 31 N. R. 9 W. 2nd Mer.

	380	380	380	379	379	378
382	6 405	5 398	4 396	3 392	2 384	1 378
382	7 404	8 398	9 395	10 392	11 385	12 377
382	18 403	17 397	16 395	15 391	14 385	13 377
382	19 401	20 397	21 394	22 390	23 384	24 377
381	30 400	29 396	28 393	27 389	26 383	25 377
381	31 399	32 388	33 389	34 389	35 383	36 376
	376	376	375	375	375	375

The figures on the lines refer to the page.

South Boundary

West on South Side 36 Section
 8.00 Leave wet prairie
 40.00 Set gr. Sec post. from which
 @ Y. oak 22 in. dia. bears N. 40 1/2 E. 49 lbs. dist.
 @ " Do 12 " " " N. 72 1/2 W. 64 " "
 53.18 @ B. oak 12 " "
 80.00 Set post cor. to Sec. 35 & 36 from which
 @ Y. oak 10 in. dia. bears N. 48 E. 64 lbs. dist.
 @ B. oak 14 " " " N. 19 W. 125 " "
 Land rolling sandy & poor timber mostly Y. oak,

West on South Side Sec. 35
 15.20 Set post on East Margin of Lake from which
 @ W. oak 8 in. dia. bears N. 27 1/4 W. 5.34 lbs. dist.
 @ " Do 12 " " " N. 33 1/4 W. 5.58 " "
 40.00 gr. Sec. cor. in Lake
 80.00 Cor. to Sec. 34 & 35 in Lake
 Land level & 2nd rate - East Side of Lake
 Timber Oak

West on South Side Sec. 34
 40.00 gr. Sec. cor. in Lake
 80.00 Cor. to Sec. 33 & 34 in Lake

West on South Side Sec. 33
 40.00 gr. Sec. cor. in Lake
 58.00 Set post on West Margin of Lake & enter wet
 prairie from which
 @ W. oak 4 in. dia. bears S. 83 1/2 W. 10.83 lbs. dist.
 @ Y. oak 12 " " " N. 41 W. 7.23 " "
 80.00 Set post cor. to Sec. 32 & 33 from which
 @ Y. oak 6 in. dia. bears N. 87 1/2 E. 9.07 lbs. dist.
 @ " Do 4 " " " S. 24 E. 4.66 " "
 Land level & poor W. of Lake, some scattering oak,

T^h 31st N. R. 9 W. 2nd Mer. Indiana

West on South Side Sec. 32
 40.00 Set gr. Sec. post from which
 an Aspin 8 in. dia. bears S. 61 $\frac{1}{2}$ W. 10.57 the dis.
 " Do 7 " " " S. 63 $\frac{3}{4}$ W. 10.50 " "
 80.00 Set post cor. to Sec. 31 & 32 & for meander post
 on East Side of Lake from which
 an Aspin 8 in. dia. bears N. 79 E. 5.17 the dis.
 " Do 8 " " " N. 84 $\frac{1}{2}$ E. 4.13 " "
 Land flat & poor wet prairie interspersed with small
 groves of oak & Aspin,

West on South Side Sec. 31
 40.00 gr. Sec. cor. in Lake
 47.00 Leave Lake & set post on west side of Lake from wh.
 @ Y. Oak 30 in. dia. bears S. 68 $\frac{1}{2}$ W. 2.57 the dis.
 @ W. Oak 8 " " " N. 83 $\frac{1}{2}$ W. 3.38 " "
 64.80 @ " Do 9 " "
 73.00 Enter wet prairie
 80.20 W. Boundary 2.33 the N. of temporary post where set
 post cor. to Sec. 30 & 31 N. R. 9 & 10 W. from which
 @ W. Oak 10 in. dia. bears S. 48 $\frac{1}{2}$ W. 4.31 the dis.
 @ " Do 15 " " " N. 41 $\frac{1}{2}$ W. 5.38 " "
 Land west of Lake flat & poor, thinly timbered
 with oak,

Surveyed February 1st 1834 by
 Sylvester Sibley, Dep^y Sur.

East Boundary.

(Bear. 5° 50' E)

North on East Side Sec. 36
 Began in wet prairie
 10.00 Leave wet prairie
 35.17 @ W. Oak 12 inches dia.
 40.00 Set gr. Sec. post from which
 @ W. Oak 8 in. dia. bears S. 25 W. 1.22 the dis.
 @ Y. Oak 4 " " " N. 44 W. 56 " "

55.00 Enter wet prairie
80.00 Set post cor. to Sec. 25 & 36 no mound nor bearings, Land level & 2nd rate Timber & thicket with oak.

North on East Side Sec. 25

25.50 Leave wet prairie

29.86 @ W. Oak 10 in. diam.

40.00 Set gr. Sec. post from which

@ Y. Oak 20 in. dia. bears S. 14 W. 45 Mo. dist.

@ " Do 20 " " " N. 63 W. 109 " "

49.65 @ " Do 20 " "

80.00 Set post cor. to Sec. 24 & 25 from which

@ W. Oak 7 in. dia. bears S. 22 W. 70 Mo. dist.

@ B. Oak 7 " " " N. 55 W. 74 " "

Land & C. as before

North on East Side Sec. 24

12.45 @ Y. Oak 30 in. diam.

40.00 Set gr. Sec. post from which

@ Y. Oak 7 in. dia. bears S. 5 1/2 W. 2. 03 Mo. dist.

@ " Do 6 " " " S. 37 E. 139 " "

41.00 Enter wet prairie

80.00 Set post cor. to Sec. 13 & 24 no mound no bearings, Land & C. much as before

North on East Side Sec. 13

40.00 Set gr. Sec. post no mound nor bearings

80.00 Set post cor. to Sec. 12 & 13 from which

@ W. Oak 10 in. dia. bears S. 36 1/2 E. 88 Mo. dist.

No other, land flat & rather wet Soil 2nd rate interspersed with grove of oak Timber

North on East Side Sec. 12

20.00 Leave wet prairie

29.94 @ Y. Oak 20 inches diameter.

T. 31 N. — R. 9 W. 2nd Mer. Indiana,

- 40.00 Set gr. S. e. post from which
 @ Y. Oak 8 in. dia. bears N. 38 W. 48 Mo. dist.
 @ " Do 10 " " " N. 74 W. 45 " "
- 60.00 Enter wet prairie
- 80.00 Set post cor. to Sec. 1 & 12 from which
 @ Y. Oak 12 in. dia. bears N. 37 W. 3.80 Mo. dist.
 @ " Do 12 " " " N. 72 W. 3.41 " "
- Land so much as before

North on East Side Sec. 1

- 3.00 Leave wet prairie
- 20.00 Enter same
- 32.00 Leave do & Enter Kankakee Swamp
- 40.00 Set gr. S. e. post from which
 @ Birch 10 in. dia. bears N. 41 E. 6. Mo. dist.
 @ W. Ash 6 " " " N. 70 W. 27 " "
- 68.80 @ Sycamore 30 in. dia. cor. tree on left Bank
 of Kankakee River course S. W.
- 72.00 Set post on right Bank of River and Enter
 dry prairie from which
 @ Willow 5 in. dia. bears S. 22 W. 4. Mo. dist.
 @ Do 8 " " " S. 66 E. 1.36 " "
- 80.00 Set Temporary Town cor. T. 31 R. 9 W. 2nd Mer.
 Land level & poor S. of River Timber on River
 Bottom Ash Elm Sycamore Maple & remainder
 as before

Surveyed Feb. 4th 1834 by
 Sylvester Sibley, Dep. Sur.

North Boundary (Cor. 555' E)

- West on South Side Sec. 36 T. 32 N. R. 9 W.
 Began in dry prairie
- 40.00 Set gr. S. e. post & leave prairie from which
 @ B. Oak 30 in. dia. bears N. 30 E. 73 Mo. dist.
 @ " Do 32 " " " N. 34 W. 27 " "

80.00 Set post cor. to Sec. 35 & 36 from which
 @ Y. Oak 10 in. dia. bears N. 32 E. 36 lbs. dist.
 @ " Do 14 " " " N. 19 1/2 W. 47 " "
 Land gently rolling & 2nd rate thinly timbered
 with Oak

West on South Side Sec. 35 T. 32 N. R. 9 W.
 20.34 @ W. Oak 12 in. dia.
 40.00 Set 1/4 Sec. e. post from which
 @ W. Oak 20 in. dia. bears N. 42 E. 46 lbs. dist.
 @ " Do 26 " " " N. 75 W. 65 " "
 61.60 @ Y. Oak 18 " "
 80.00 Set post cor. to Sec. 34 & 35 from which
 @ W. Oak 10 in. dia. bears N. 39 E. 29 lbs. dist.
 @ " Do 20 " " " N. 79 W. 19 " "
 Land is much the same

West on South Side Sec. 34 T. 32 N. R. 9 W.
 3.52 To Willow 4 in. dia. cor. on right Bank of
 Kankakee River course N. W.
 7.40 To Maple 6 in. dia cor. on left B. of R. cor. N.
 10.81 " Do. 4 " " " " Right Bank. " N.
 31.20 Land River course S W. a Birch 14 in.
 dia. cor. on left Bank
 37.77 To a Birch 6 in. dia cor. on Right Bank cor. N. W.
 40.00 gr. Sec. cor. in River
 42.21 an Ash 4 in. dia. cor. on left Bank River
 50.09 a Birch 20 " " " " " " cor. S. W.
 55.00 Set post on Right Bank, from which
 a Birch 26 in. dia. bears N. 63 W. 23 lbs. dist.
 @ B. Oak 32 " " " S. 73 W. 72 " "
 67.88 @ Birch 10 " " cor. on R. B. R. cor. N. W.
 71.00 Set post on left Bank of River from which
 @ Maple 14 in. dia. bears N. 78 E. 16 lbs. dist.
 @ Birch 12 " " " S. 12 W. 31 " "
 77.67 @ Willow 10 in dia cor. on left B. R. cor. S. W.

T. 31 N. — R. 9 W. 2nd Mer. Ind. 2nd

80.00 cor. to Sec. 33 & 34 in River
Land flat & 2nd rate Timber oak, Ash, Elm,
Maple & Willow.

West on South Side Sec. 33 T. 32 N. R. 9 W.
5.61 a Birch 20 in. dia. cor. on Right B. River
11.20 an Ash 6 " "
38.00 a Stream 40 ft wide, course S. W. Land
Timber and Enter dry prairie
40.00 Set gr. S. e. post from which
a Birch 20 in. dia. bears N. 57 E. 2.44 Mo. dis.
a Do 10 " " " N. 79 E. 2.14 " "
50.00 Set post cor. to Sec. 32 & 33 from which
a W. Oak 16 in. dia. bears N. 46 E. 7.13 Mo. dis.
a " Do 20 " " " N. 53 E. 6.86 " "
Land level 1st poor Timber Ash Elm & oak
Maple & Willows, 2¹/₂ prairie Soil good
rather flat

West on South Side Sec. 32 T. 32 N. R. 9 W.
40.00 Set gr. S. e. post from which
a S. oak 5 in. dia. bears N. 72 E. 6.58 Mo. dis.
a " Do 14 " " " West 7.46 " "
47.50 Leave prairie & Enter Timber
51.66 a Y. oak 12 in. dia.
68.00 Enter Willows & B. Ash Swamp
79.50 Leave " " " & Enter prairie
80.00 Set post cor. to Sec. 31 & 32 from which
a B. oak 26 in. dia. bears N. 50 E. 6.51 Mo. dis.
a Willow 4 " " " S. 13 W. 1.45 " "
Land level & 2nd rate Timber oak Birch
and Willows

West on South Side Sec. 31 T. 32 N. R. 9 W.
40.00 Set gr. S. e. post from which
a B. oak 8 in. dia. bears S. 50 W. 1.00 Mo. dis.

T. 31 N. - R. 9 W. 2nd Mer. Ind. Co.

	to Br. Oak 16 in. dia. bears S. 11 $\frac{1}{2}$ W. 1.60 Mo. dist.
45.00	Leave prairie
47.57	to Br. Oak, 14 in. dia.
67.00	Enter prairie
80.24	West boundary 1.09 Mo. S. of temporary post & set post cor. to T. 31 & 32 N. R. 9 & 10 W. from which
	to Birch 18 in. dia. bears S. 30 E. 4.88 Mo. dist.
	to Do 12 " " " S. 58 W. 6.92 " "
	Land level, Soil good Timber Oak
	Surveyed in 1834 by
	Sylvester Libbey
	Deft. Sur.

West Boundary

(Var. 6.30' E)

North	on East Side Sec. 36 T. 31 N. R. 10 W.
4.50	Leave wet prairie
29.39	to W. Oak 16 in. dia.
40.00	Set gr. Sec. post from which
	to Y. Oak 20 in. dia. bears S. 45 W. 1.20 Mo. dist.
	to " Do 20 " " " S. 89 W. 6.4 " "
80.00	Set post cor. to Sec. 25 & 36 from which
	to Y. Oak 12 in. dia. bears S. 19 W. 3.5 Mo. dist.
	to " Do 14 " " " N. 47 $\frac{1}{2}$ W. 6.6 " "
	Land level & 2 nd rate timber Timbered with Oak.

North	on East Side Sec. 25 T. 31 N. R. 10 W.
19.90	to W. Oak 16 in. dia.
33.00	Enter wet prairie
40.00	Set gr. Sec. post from which
	an Aspin 8 in. dia. bears S. 10 $\frac{1}{2}$ E. 1.83 Mo. dist.
	" Do 6 " " " N. 66 $\frac{1}{2}$ E. 2.53 " "
67.00	Leave wet prairie
74.93	to Blk Gum 9 in. dia.
80.00	Set post cor. to Sec. 24 & 25 from which
	to Y. Oak 10 in. dia. bears S. 21 W. 6.2 Mo. dist.

T. 31 N. R. 9 W. 2nd Mer. Indiana

o Y. Oak 16 in. dia. bears N. 36 W. 46 lbs. dist.
Land & the same

North on East Side Sec. 24 T. 31 N. R. 9 W.

40.00 Set gr. S. e. post from which

o W. Oak 34 in. dia. bears S. 17 W. 88 lbs. dist.

o " Do 24 " " " N. 65 W. 150 " "

80.00 Set post cor. to S. e. 13 & 24 from which

o W. Oak 20 in. dia. bears S. 28 W. 180 lbs. dist.

o Y. Oak 8 " " " N. 85 W. 32 " "

Land & the same

North on East Side Sec. 13 T. 31 N. R. 10 W.

5.00 Enter dry prairie rather flat

40.00 Set gr. S. e. post no mound no bearings

80.00 Set post cor. to S. e. 12 & 13 no mound no bearings, Land level & good

North on East Side Sec. 12 T. 31 N. R. 10 W.

40.00 Set gr. S. e. post no mound no bearings

80.00 Set post cor. to S. e. 1 & 12 no mound no bearings

Land same

North on East Side Sec. 1 T. 31 N. R. 10 W.

40.00 Set gr. S. e. post from which

o Birch 4 in. dia. bears S. 67 W. 373 lbs. dist.

o Do 4 " " " S. 80 W. 313 " "

115.50 Set post on left Bank of Kankakee River

Course S. W. Land prairie, from which

o Birch 15 in. dia. bears S. 43 $\frac{1}{2}$ W. 338 lbs. dist.

o W. Oak 25 " " " S. 71 W. 417 " "

52.19 o W. Ash 10 " " cor. tree on right Bank of Kankakee River

60.05 o Maple 12 in. dia.

76.00 Land bottom & enter dry prairie

80.00 Set Temporary post cor. to T. 31 & 32 N. R. 9 & 10 W.

Land level and first rate timber on River
Bottoms Ash. Elm Maple oak &c, undergrowth
Hawthorn & grape vines

Surveyed & returned May 3rd 1834 by
Sylvester Vetter, Capt. Sur.

Subdivisions

	Bar,
North	Between Sections 35 & 36
50	Enter Timber
1.60	@ W. Oak 20 in. dia.
20.80	@ " Do 20 " "
26.00	Leave timber & Enter marsh
40.00	Set gr. Sec. post in marsh no mound, no bearings
49.86	Leave marsh & Enter timber & W.
80.00	Set post on to Sec. 25, 26, 35 & 36 from which @ W. Oak 10 in. dia, bears N. 85 W 31 1/2 lbs. dis. @ Y. Oak 10 " " " N. 18 E. 71 " "
	Land first 26 chains barren timber W. & W. Oak Blk Oak & Aspens, 3 rd , rate ballowed marsh

East	on Random between Sec. 25 & 36
50	Enter marsh
42.79	Leave Do & Enter scattering timber
45.00	Leave timber & Enter marsh
80.36	Enter at Range line 46 lbs South of post, land principally marsh

West	Correct line between Sec. 25 & 36
40.18	Set gr. Sec. post from which @ Blk. Oak 12 in. dia, bears S. 85 E. 3.74 lbs. dis. @ " Do 20 " " " N. 43 E. 1.48 " "
80.36	Section Corner,

North	Between Sections 25 & 26
3.40	@ Blk. Oak 15 in. dia.

T. J. M. - R. 9 W. 2 N. 1/2 Sec. 24, Indiana

22.50 Leave timber & Enter marsh E + W,
 40.00 Set gr. Sec. post in marsh no mound nor bearings
 52.70 Leave marsh & Enter timber
 53.25 @ W. Oak 20 in. diam,
 78.50 Enter marsh
 80.00 Set post in Marsh cor. Secs. 23, 24, 25 & 26,
 @ W. Oak 12 in. dia, bears S. 2 E. 2, 84 the dist.
 @ W. Oak 20 " " " S. 12 W. 2, 88 " "
 Land 3rd rate timber Blk & W. Oak marshes
 all deep

East on Random between Secs. 24 & 25
 40.00 Set gr. Sec. post (temp.)
 80.30 Intersect Range line 26 the N. of post, 2 chains East
 of marsh. Land all marsh with the Exception of
 2 chains growth Swamp Willow & top grass & C,

West Correct line between Secs. 24 & 25
 2.00 Leave timber & Enter marsh
 40.15 Set gr. Sec. post in marsh no mound nor bearings
 80.30 Section corner

North Between Sections 23 & 24
 40.00 Set gr. Sec. post in marsh no mound nor
 bearings
 50.00 Enter low wet prairie
 60.50 Enter small grove
 62.00 Leave " do
 65.00 Enter marsh
 80.00 Set post cor. to Secs. 13, 14, 23 & 24 in marsh
 Land as on the last line

East on Random between Secs. 13 & 24
 80.75 Intersect Range line 25 the N. of post
 Land level all marsh, Swamp Willow,
 Low grass, cattail Bullrush,

West	Correct line between Sec. 13 & 24
40.37½	Set gr. Sec. post in marsh, no mound nor bearings
80.75	Section corner,
North	on line between Sec. 13 & 14
40.00	Set gr. Sec. post in marsh, no mound nor bearings
70.00	Leave marsh & intersect sand ridge, scrubby trees,
80.00	Set post cor. to Sec. 11, 12, 13 & 14 from which @ Blk oak 20 in. dia, bears N. 85 E. 1.08 lbs. dist. @ " Do 12 " " " N. 42 W. 25 " " Sand first 70 chains marsh, balance 3 rd rate Sand ridge Timber Blk & W. oak & whiteberry
East	on Meridian between Sec. 12 & 13
5.50	Leave Timber & Enter marsh N. & S.
20.30	Leave marsh & Enter barrens
30.00	Leave barrens & Enter marsh
80.40	Intersect Range line 40 lbs. N. of post, Marshes, level Timber, rolling 3 rd rate Very Sandy Blk. & white oak & whiteberry
West	Blaze a line between Sec. 12 & 13
40.20	Set gr. Sec. post in marsh, no mound nor bearings
80.40	Section corner, July 18 th 1835
North	Between Sections 11 & 12
4.00	Leave Timber & Enter Marsh S. W.
29.00	Sulphur spring 10 lbs. wide cor. S. W.
31.25	Intersect Timber E & W.
40.00	Set gr. Sec. post from which @ Jack Black 20 in. dia, bears S. 88 W. 20 lbs. dist. @ Do Do 18 " " " N. 56 E. 43 " " 76.00 Intersect left Bank of Kawakee River, corner North where Set post from which @ Willow 12 in. dia, bears S. 15 W. 40 lbs. dist. @ Maple 40 " " " N. 87 W. 59 " "

J. 31 M. B. 9 W. 2nd Sec. Mer. Ind. Co.

80.00 Set post in the Sec. in River cor to Sec. 1, 2, 11 & 12
Land 3rd rate B. & W. Oak, Birch, Maple & Willow

East on Random between Sec. 1 & 12

1.20 Right Bank of Kankakee River. White Ash 8 in. cor.

7.20 Same Bank of Do. Do. -

13.40 over to left Do. course S. W. measured width by the chain.

18.50 Enter marsh N. E. cor.

35.20 Leave Do & Enter Timber cor. N. W. S.

45.00 Leave Timber & Enter wet prairie

80.20 Intersection Range Line 50 lbs N. of post
Land N. of River Low & Wet. Timber Birch
maple. Swamp Ash &c. on the East side of
the River B & W, Oak, White Birch 3rd rate
prairie wet

West on line between Sec. 1 & 12

38.28 @ B. Oak 20 in. diam.

40.10 Set gr. Sec. post from which

@ Blk Oak 15 in. dia. bears N. 50 W. 16 lbs dist.

@ Y. Oak 4 " " " N. 86 E. 20 " "

46.70 on left Bank of Kankakee when Set post from which

@ Blk. Oak 12 in. dia. bears S. 15 E. 24 lbs. dist.

@ W. Oak 18 " " " N. 20 E. 21 " "

72.90 over ^{River to cor} White Ash cor. ^{of River to} Right Bank

79.10 to Right Bank. (White Ash cor. tree.)

80.20 Section covered in River, distance measured
by the chain.

North Between Sections 1 & 2 from Sec. cor,
in River

8.30 Intersection right Bank Kankakee, Willow 10 in.
dia. corner, tree

10.86 @ Birch 13 in. dia.

26.30 @ Maple 18 " "

35.25 Leave marsh E & W. cor.
 37.80 @ W. oak 16 in. dia.
 40.00 Set gr. S. e. post in marsh from which
 a Maple 12 in. dia. bears S. 48 E. 18 lbs. dist.
 @ Birch 20 " " " N. 15 E. 23 " "
 42.50 Leave marsh East & West
 56.00 @ W. oak 16 in. dia.
 68.05 @ B. oak 10 " "
 77.80 Intersect North boundary 1.55 M. W. of post
 where set post cor. to Sec. 1 & 2 from which
 @ Blk Jack 8 in. dia. bears S. 24 E. 20 lbs. dist.
 @ " Do 18 " " " S. 52 W. 69 " "
 Land 1/2 marsh. N. 1/2 3rd rate W. & B. o. B. Jack & Co.

West on Random between Sec. 26 & 35
 210.00 Set gr. S. e. post (Temporary)
 46.00 @ B. oak 10 in. dia.
 80.00 Set post cor. to Sec. 26, 27, 34 & 35 Temporary
 Land 3rd rate Blk & W. oak

East Blk & W. Oak between Sec. 26 & 35
 30.50 @ W. oak 12 in. dia.
 39.90 Set gr. S. e. post from which
 @ W. oak 20 in. dia. bears N. 20 W. 59 1/2 lbs. dist.
 @ Blk Jack 18 " " " S. 38 E. 60 " "
 45.68 @ W. oak 20 " "
 60.00 @ B. oak 20 " "
 79.80 Section corner

West on Random between Sec. 27 & 34
 3.00 Leave timber & enter marsh S. W.
 40.00 Set Temporary gr. S. e. post in marsh.
 80.00 Set Temp. post cor. to Sec. 27, 28, 33 & 34.

East correct line between Sec. 27 & 34
 39.90 Set gr. S. e. post in marsh no mound or bearing

Y 31 N. B. 9 W. 2nd Mer. Indiana

76.80 Leave mark & Enter Timber
 79.80 Set post cor. to Sec. 26, 27, 34 & 35 from which
 @ W. Oak 40 in. dia. bears S. 88 W. 86 lks. dis.
 @ " Do 24 " " " N. 65 E. 40 " "

West on Random between Sec. 28 & 33
 4.00 Leave mark & Enter timber S. W.
 6.80 @ W. Oak 20 in. dia.
 26.85 @ W. Oak 8 " "
 40.00 Set Temp. gr. Sec. post no mound
 50.00 @ W. Oak 10 in. dia.
 80.00 Set Temp. cor. post to Sec. 28, 29, 32 & 33

East correct marked line back between Sec. 28 & 33
 20.50 @ W. Oak 20 in. dia.
 39.90 Set gr. Sec. post from which
 @ W. Oak 10 in. dia. bears S. 85 W. 41 lks. dis.
 @ " Do 18 " " " N. 5 E. 25 " "
 45.26 @ " Do 12 " "
 75.20 Leave Timber & Enter Marsh S. W.
 79.80 Set post in marsh cor. to Sec. 27, 28, 33 & 34 from which
 @ W. Oak 10 in. dia. bears S. 85 W. 7.42 lks. dis.
 @ W. Oak 20 " " " N. 88 W. 6.93 " "

South on Random between Sec. 32 & 33
 30.00 @ W. Oak 20 in. dia.
 35.00 Leave Timber & Enter Marsh
 40.00 Set Temp. gr. Sec. post.
 80.60 Enter at S. Boundary 1.06 lks. west of post

North on the true line blaz. a back bet. Sec. 32 & 33
 40.00 Set gr. Sec. post in marsh no mound no bearings
 50.00 Leave mark & Enter timber N. E. & S. W.
 80.00 Set post cor. to Sec. 28, 29, 32 & 33 from which
 @ W. Oak 22 in. dia. bears N. 1 E. 40 lks. dis.
 @ " Do 15 " " " S. 9 W. 55 " "

Qd, Land South $\frac{1}{2}$ marsh North $\frac{1}{2}$ 3rd rate
white oak

South Between Sections 33 & 34

17.00 Antise at Beaver Lake, where set meander post full, at Cherry, 14 in. dia, bears N. 52 E. 200 lks. dist.
No more trees, this tree is in a small grove about 30 lks East of the line, land marsh, corner of the Lake. More nearly East & West

South on the line between Sec, 34 & 35

10.20 @ B, oak 20 in. dia,

17.10 Leave timber & Enter wet prairie E. & West

38.00 Leave prairie & Enter timber E. & Do

40.00 Set gn. sec. post from which
an Aspin 6 in. dia bears N. 26 $\frac{1}{2}$ E. 28 lks. dist.
@ G, oak 18 " " " 44 W, 36 " "

45.00 Leave timber & Enter marsh

49.25 To N. Margin of Beaver Lake, where set meander post from which

@ G, oak 16 in. dia, bears N. 14 W. 3.65 lks. dist.

@ " Do 10 " " " N. 19 E. 5.14 " "

Land level 3rd rate W, & B, oak (G. oak Aspin,
prairie low level & wet 2nd rate

North Between Sections 26 & 27

4.00 Leave timber & Enter marsh

40.00 Set gn. sec. post from which in marsh

@ B, oak 6 in. dia, bears N. 9 W. 2.16 lks. dist.

@ W, oak 15 " " " N. 8 E. 18.86 " "

40.50 Leave marsh & Enter timber N. E. & S. W,

44.06 @ W, oak 12 in. dia,

44.50 @ B, oak 12 " "

80.00 Set post cor. to Sec, 22.23.26. & 27 from which

@ G, oak 15 in. dia, bears S. 8 E. 57 lks. dist.

@ W, oak 18 " " " N. 17 E. 63 " "

T. 31 N. R. 9 W. 2nd Mer, Indiana

C. L. Land South of marsh North half rolling, 3rd rate
B. & W. Oak & Y. Oak very scrubby

East On Railroad between Sec. 23 & 26

29.00 @ W. Oak 12 in. dia.

29.50 Leave timber & Enter marsh North & South

39.08 Leave marsh & Enter timber N. & S.

42.50 @ B. Oak 15 in. dia.

63.50 Leave timber & Enter marsh N. & W.

79.84 Enter on N. & S. line 20 lbs N. of post

West Bled a line Back on true line bet^h Sec 23 & 26
Land 3rd rate rolling very sandy timber
B. & white oak

36.02 @ B. Oak 10 in. dia.

39.92 Set gr. Sec. post from which

@ W. Oak 24 in. dia. bears S. 73 E. 46 lbs. dist.

@ Y. Oak 6 " " " N. 11 W. 40 " "

79.84 Section corner, July 19th 1835

North Between Sections 22 & 23

10.10 @ B. Oak 12 in. dia.

29.75 @ " Do 15 " "

40.00 Set gr. Sec. post from which

@ B. Oak 18 inches. dia. at North 7 lbs. dist.

@ W. Oak 12 " " bears S. 28 E. 20 " "

40.07 @ B. Oak 18 " "

41.00 Leave timber & Enter at marsh E. & W.

75.00 Leave marsh or low wet prairie N. W. & Enter
timber N. & W.

80.00 Set post cor. to Sec. 14, 15, 22 & 23 from which

@ Y. Oak 16 in. dia. bears N. 7 E. 205 lbs. dist.

@ Do - " S. 86 W. 24 " "

Land first half 3rd rate, Sand ridges B. W. & Y.
Oak, Last half marsh or wet prairie, Red top
& Sage & South flag

East on Random between Sec. 14 & 23
 2.50 Enter low wet prairie or marsh
 79.80 Intersect N. & S. line at post, land, west half wet prairie, East half marsh

West Correct line between Sec. 14 & 23
 39.90 Set gr. Sec. post in marsh no mound no bearings
 79.80 Section corner,

North Between Sections 14 & 15
 24.00 Intersect wet prairie W. & N. E.
 35.00 Leave " do & enter timber N. E. & N. W.
 40.00 Set gr. Sec. post from which
 @ B. Oak bears South 11 Mo. dist.
 @ W. Oak 6 in. dia bears East 27 " "
 45.80 @ B. Oak 20 " "
 74.00 Leave timber & enter wet prairie
 80.00 Set post on to Sec. 10, 11, 14 & 15 in wet prairie from which
 @ Y. Oak 18 in. dia. bears S. 3 Mo. 6.47 Mo. dist.
 no mound timber
 Land 3rd rate, Timber Scrubby Blk White
 & Yellow Oak & Whortleberry

East on Random between Sec. 11 & 14
 13.50 Leave wet prairie & enter barrens N. 6
 25.00 Leave barrens & enter wet prairie S. W.
 37.50 Leave prairie & enter timber N. W. & S. W.
 79.90 Intersect N. & S. line 20 Mo. S. of post, land
 3rd rate, Y. & W. Oak, Yellow Oak Gum Timber
 rolling prairie level

West Blazed line back between Sec. 11 & 14
 39.95 Set gr. Sec. post from which
 @ Yellow Oak bears S. 8 Mo. 28 Mo. dist.
 @ Do Do " N. 65 E. 61 " "
 79.90 Section corner

G. 31 N. R. 9 W. 2nd Mer. Indiana

North	Between Sections 10 & 11
20.00	Leave prairie & Enter Timber E + W,
22.00	@ Y. Oak 12 in. dia,
39.50	@ W. Oak 18 " "
40.00	Set gr. Sec. post from which
	@ W. Oak 20 in. dia, bears S. 38 W. 23 lks. dist.
	@ " Do 24 " " " S. 20 E. 56 " "
55.90	@ W. Oak 10 " "
60.00	Enter prairie a marsh East & West
75.00	Indian Trail do do
80.00	Set post cor. to Sec. 2, 3, 10 & 11 from which
	@ Y. Oak 14 in. dia, bears N. 78 W. 2.59 lks. dist.
	@ " Do 10 " " " S. 65 E. 2.62 " "

East	on Ransom between Sec. 2 & 11
37.00	@ Y. Oak 20 in. dia, on the E. margin of prairie
42.50	Leave Timber Enter prairie
68.20	the left Bank of a large basin
70.00	" Right do " " do
79.20	Intersect left Bank of Kankakee River
80.10	Intersect E. line of Sec. — 10 lks N. of position River course N. with measured by the chain

West	Correct line between Sec. 2 & 11
" 90	Left Bank of Kankakee River a Sycamore 30 in. dia. cor. tree,
	The above distance was measured on the Sec
40.05	Set gr. Sec. post from which
	@ W. Oak 12 in. dia, bears S. 41 E. 21 lks. dist.
	no more trees near —
50.10	Section Corner
	Land West of principally prairie level + rock
	February 20 th 1835

North	Between Sections 2 & 3
37.75	Enter Timber - marsh N. W. + S. E.

- 40.00 Set gr. Sec. post from which
 @ maple 30 in. dia. bears East 13th dist.
 @ Swamp oak 6 " " " N. 59 M. 16 " "
- 71.45 Left Bank of Kankakee River cor. NW, bold current.
- 74.00 Over Right Bank Willow cor. with measured
 by the chain
- 78.32 Intersect N. Boundary 136th dist of post where
 Set post cor. to Sec. 2 & 3 from which
 @ W. Oak 24 in. dia. bears S. 78 E. 10th dist.
 @ Blk Jack 12 " " " S. 37 W. 8 " "
 Land South of River wet prairie & marsh, North of
 River sand,

North Between Sections 27 & 28

- 10.00 Leave marsh & Enter Timber E. & W.
- 11.57 @ Y. Oak 18 in. dia.
- 22.20 @ " Do 12 " "
- 31.16 @ W. Oak 18 " "
- 37.00 @ " Do 10 " "
- 40.00 Set gr. Sec. post from which
 @ W. Oak 18 in. dia. bears S. 37 E. 44th dist.
 @ W. Oak 20 " " " N. 46 W. 26 " "
- 54.87 " W. Oak 18 " "
- 55.00 Leave Timber & Enter low wet marsh E. & W.
- 80.00 Set post cor. to Sec. 21, 22, 27 & 28 in marsh on
 wet prairie, Land South 55 Chains rolling sand
 ridges 3rd rate, N. low wet prairie or marsh

East on Random between Sec. 22 & 27

- 34.00 Leave marsh & Enter barrens
- 42.50 Leave barrens & Enter low wet prairie
- 67.50 Leave prairie & Enter timber on. N. W. & S. W.
- 71.00 @ W. Oak 18 in. dia.
- 79.90 Intersect N. & S. line 15th dist. of post, Land prairie
 3rd rate wet, white & Blk oak,
-

T. 31 N. — R. 9 W. 2nd Mer. Ind. Co

West Blazed line back on true line bet^h Sec. 22 & 27
 13.00 @ W. Oak 15 in. dia,
 39.95 Set gr. Sec. post from which
 @ W. Oak 23 in. dia, bears S. 72 E. 40 tho. dist.
 " Do. Do. " N. 50 E. 1,00 " "
 42.10 " B. Oak 3 in. dia.
 79.90 Section corner,

North Between Sections 21 & 22
 29.50 Leave prairie & Enter at Barrens
 30.50 @ W. Oak 15 in. dia,
 40.00 Set gr. Sec. post from which
 @ W. Oak 24 in. dia, bears S. 39 E. 1,27 tho. dist.
 @ W. Oak 18 " " " N. 84 E. 2,03 " "
 41.00 Leave Timber & Enter low wet prairie
 65.00 Leave prairie & Enter barrens
 65.20 @ W. Oak 18 in. dia,
 80.00 Set post cor. to Sec. 15, 16, 21 & 22 from which
 @ Y. Oak 20 in. dia, bears N. 10 E. 89 1/2 tho. dist.
 " " Do 18 " " " S. 4 E. 158 " "
 Land level, timber Blk. W. & Y. Oak.
 7) Black Jack & second rate,

East On Random between Sec. 15 & 22
 10.00 Leave timber & Enter wet prairie cor. N.E.
 70.00 Leave prairie & " timbered cor. N.W.
 79.92 Intersect C. line of Sec. 12 then N. of post
 Land level sec. rate. B. & W. & Y. Oak & Bl. Jack.

West Correct line between Sec. 15 & 22
 5.00 @ Bl. Oak 10 in. dia,
 39.96 Set gr. sec. post in wet prairie fr. which
 @ Y. Oak 15 in. dia, bears S. 29 W. 319 tho. dist.
 no other trees —
 79.92 To Sec. corner,

North Between sections 15 & 16

- 15.56 To a Bl. Oak 15 in. dia. in the line
 34.80 " " Do. 10 " "
 40.00 Set gr. sec. post from which
 a Bl. Oak 20 in. dia. bears N 85 W 52 lks. dist.
 & a W. Oak 15 " " " N 2 W 73 $\frac{1}{2}$ " "
 52.00 Leave timber & Enter wet prairie on E. & W.
 80.00 Set post in wet prairie or marsh cor. sec.
 9, 10, 15 & 16. no mound nor bearings.
 Land S $\frac{1}{2}$ rolling Bl. & W. Oak. N $\frac{1}{2}$ level
 wet prairie & third rate,

East On Random between sec. 10 & 15

- 35.10 Leave prairie & Enter timber on S. W.
 42.00 Leave timber & Enter wet prairie
 79.89 Intersect E. line of sec. 8 lks. N. of post

West Correct line between sec. 10 & 15

- 39.93 $\frac{1}{2}$ Set gr. sec. post from which
 a W. Oak 20 in. dia. bears S 5 W 10 lks. dist.
 & a Do. 22 " " " N 54 E 53 " "
 Land level wet prairie, W. Y. & Bl. Oak
 79.89 To sec. corner,

North Between sections 9 & 10

- 40.00 Set gr. sec. post in low wet prairie
 no bearings. nor mound
 55.00 Leave prairie & Enter timber on E. & W.
 62.50 Leave timber & Enter wet prairie
 80.00 Set post cor. sec. 3, 4, 9 & 10 from which
 a Yellow Oak 10 in. dia. bears S. 3 E. 835 lks. dist.
 no more trees.
 Land same as on last mile,

East On Random between sec. 3 & 10

- 79.86 Intersect E. line of sec. 4 lks. N. of post

G. S. N. B. G. W. 2nd Mer. Ind. 2nd

G. S.	Land level wet prairie & Marshes
West	Correct line between Sec. 3 & 10
39.98	Set g ^r . Sec. post in Marsh no mound no bearings
79.86	Section corner, July, 21 st 1855
North	Between Sections 3 & 4
40.00	Set g ^r . Sec. post from which 2 W. Oak 12 in. dia. bears N. $71\frac{1}{2}$ E. 570 lbs. dist. no more trees
52.50	Intersect Timber E. & W.
54.50	20 Black Oak 22 in. dia.
62.10	" " Maple 12 " "
76.50	Intersect left Bank of the Kankakee River where Set post from which 2 W. Ash 12 in. dia. bears N. 23 E. 11 lbs. dist. " " Do 14 " " " S. 29 W. 16 " " Land S. $1\frac{1}{2}$ principally wet prairie, Birch Maple Swamp Ash. Interspersed with marshy prairie. Wild Rice & cattail 3 rd rate
North	Between Sections 28 & 29
24.25	2 Blk. Oak 10 in. dia.
26.50	Leave barrens & enter wet prairie S. W. end.
40.00	Set g ^r . Sec. post in deep water no mound no bearings
80.00	Set post cor. to Sec. 20, 21, 28 & 29 in water no mound no bearings, Land South post Barrens, N. wet prairie, quality hard to find like all other low wet level prairie, no marsh corner with Sec.
East	on narrow Between Sec. 21 & 28
80.00	Intersect N. & S. line 20 lbs. South of post, land low wet prairie, all covered with Sec. & water
West	Correct line between Sec. 21 & 28

40.00 Set gr. Sec. post, no mound nor bearings
80.00 Section corner.

North Between Sections 20 & 21

15.50 Leave low wet prairie & Enter Timber cor. N.E.
17.50 @ W. Oak 18 in. dia.
27.00 " B. Oak 10 " "
39.68 " " Do 18 " "
40.00 Set gr. Sec. post from which
@ W. Oak 18 in. dia. bears South 38 lks. dist.
" Do Do 24 " " " N. 22 E. 50 lks. dist.
48.80 Leave Timber & Enter wet prairie cor. E. & W.
80.00 Set post cor to Sec. 16, 17, 20 & 21 in wet prairie from W.
@ W. Oak 8 in. dia. bears East 10, 15 lks. dist.
no other bearings

East on Random between Sec. 16 & 21

10.00 Leave prairie & Enter Barrens cor. N. & S.
10.15 Do a W. Oak 10 in. dia.
20.10 " " W. Oak 10 " "
23.30 Leave Timber & Enter prairie or marsh cor. N. & E.
80.06 Intersect N. & S. line 30 lks South of post, land
3rd rate Timber, rolling sand ridges prairie wet

West Corner line between Sec. 16 & 21

40.03 Set gr. Sec. post in marsh, no mound nor bearings
56.30 Do a W. Oak 20 in. dia.
80.06 Section corner

North Between Sections 16 & 17

40.00 Set gr. Sec. post in marsh or wet prairie no mt. markings
62.00 Leave prairie & Enter Timber cor. S.W. & N.E.
80.00 Set post cor to Sec. 8, 9, 16 & 17 from which
@ W. Oak 22 in. dia. bears N. 80 E. 29 lks. dist.
" " Do 20 " " " S. 30 W. 16 " "
Land level & wet prairie, Timber, 3rd rate

T₃₁ N₁ — R₉ W₂ 2nd Mer, Indiana

C.S.	Sand ridges Blk, white Oak, whatevery willow cat tail Bullrush coarse, sour grass &c,
East	on Random between Sec 9 & 16
2.00	Leave Timber & Enter low wet prairie co. N. Mer 4, 16,
80.16	Intersect E. line of Sec 9, 6 lks N. of post; land level wet prairie
West	Correct line between Sec 9 & 16
40.08	Set gp. Sec. post in low wet prairie no bearings
80.16	Section Corner,
North	Between Sections 8 & 9
6.00	@ W. Oak 20 in. diam,
6.50	Leave Timber & Enter wet prairie
40.00	Set gp. Sec. post in marsh or wet prairie corner with Sec no mound no bearings
80.00	Set post cor. to Sec 4, 5, 8 & 9 from which @ Y. Oak 20 in. dia, bears N. 76 W. 5, 62 lks. dist, no more Level. Very wet all covered with Sec, 3 rd rate
East	on Random between Sec 4 & 9
45.25	Go a Blk Oak 10 in. dia, in the N. part of @ small ground
80.10	Intersect S. & N. line 3 lks. S. of post, land level & wet prairie
West	Correct line between Sec 4 & 9
40.05	Set gp. Sec. post from which @ Blk Oak 18 in. dia, bears N. 58 W. 3, 41 lks, dist, no more
80.10	Section Corner,
North	Between Sections 4 & 5
25.00	Intersect marsh crs, East & West

30.00	To a maple 14 in. dia,
33.22	" " Birch 20 " "
40.00	Set gr. sec. post from which a Maple 12 in. dia, bears S. 66 W. 63 Mo. dist. " Birch 8 " " " S. 22 W. 60 " "
58.20	To left Bank of Kankakee River cor. E & W, where set post from which a Birch 10 in. dia, bears S. 78 E. 11 Mo. dist. " Do 12 " " " N. 42 1/2 W. 11 1/2 " "
60.40	over River, width measured by chain, where set post from which a Willow 18 in. dia, bears N. 24 E. 15 Mo. dist. " White Ash 6 " " " N. 75 W. 19 " "
70.20	Leave marsh & enter wet prairie
78.25	Intersect N. Boundary 72 Mo. W. of post, where set post in wet prairie from which a Birch 6 in. dia, bears S. 20 E. 87 1/2 Mo. dist. " Do 12 " " " S. 30 W. 11.26 " "

February 22nd 1835

North	Between Sections 31 & 32
38.50	Leave marsh & enter barrens
40.00	Set gr. sec. post from which a Blk Oak 18 in. dia, bears N. 80 E. 4.00 Mo. dist. " " Oak 20 " " " S. 36 1/2 W. 2.29 " "
46.50	" W. Oak 24 " "
72.20	" W. Oak 20 " "
77.00	Leave Timber S. E. & N. W.
80.00	Set post cor. to Sec. 29, 30 31 & 32 from which a W. Oak 14 in. dia, bears S. 9 W. 2.60 Mo. dist. " " Do 10 " " " N. 35 E. 2.46 " "

Land S. 1/2 marsh, N. 1/2 Timber Blk & W.
oak & Blk Oak 3rd, sand ridges

East	on Random between Sec. 29 & 32
2.00	Pop a small grove to the N. 50 Mo.

T. 31 N., R. 9 W., 2nd Mer., Indiana

60.00 Enter Timber course S. 10,
79.94 Intersect E. line of Sec. 10 1/2 S. of post, west
part low wet prairie, E. 20 chains, Timber, 3rd
rate Blk & white oak,

West corner line between Sec. 29 & 32
39.97 Set gr. Sec. post in wet prairie thick Sec.
79.94 Section corner,

West on Random between Sec. 30 & 31
10.00 Leave prairie course N. W.
46.50 Leave Timber & Enter prairie crs. S. W.
70.50 Leave prairie & Enter barrens
79.10 Intersect Range line 18 1/2 S. of post fm. Wk.
to Wk, oak 15 in. dia. bears N. 76 E. 95 1/2 Wk. dist.
" " Do 20 " " " S. 48 W. 80 " "

East corner line between Sec. 30 & 31
34.50 to Blk oak 15 in. dia.
39.10 Set gr. Sec. post from which
to Blk, oak 18 in. dia. bears S. 79 W. 98 1/2 Wk. dist.
" " Do 16 " " " N. 54 1/2 E. 91 " "
56.30 " " Do 10 " "
72.30 " " Do 12 " "
79.10 Section corner, Land rolling
Sand ridges, 3rd rate W. W. & Y. oak prairie
wet,

North Between Sections 29 & 30
37.50 Leave prairie & Enter Timber crs. N. E. & S. W.
40.00 Set gr. Sec. post from which
to Blk, oak 18 in. dia. bears S. 60 W. 22 1/2 Wk. dist.
" " Do 15 " " " S. 79 E. 32 " "
42.25 " " Do 26 " "
59.25 " " Do 12 " "
60.75 Leave Timber & Enter wet prairie crs. E & W,

T. 31 N. R. 9 W. 2 Mer. Indiana 401

75.00 Enter marsh
80.00 Set post cor. to Sec. 19, 20, 29 & 30, no bearings -
Land rolling 3rd rate prairie wet - Timber W & B. Oak -

East on Random between Sec. 20 & 29
42.00 Enter Timber crs. S.W.
60.00 Leave Timber & enter marsh crs. N.E. & S.W.
79.86 Enter S. line of Sec. 26 1/2 mi. S. of post, land
level wet prairie & marsh 3rd rate W & B. Oak

West Corner line between Sec. 20 & 29
24.50 To a Blk. Oak 18 in. dia.
30.20 " " W. Oak 18 " "
34.86 " " Blk. Gum 20 " "
39.93 Set g. Sec. post from which
to Blk. Gum 20 in. dia, bears East 475th dia.
to W. Oak 10 " " " N. 80 E. 249 " "
79.86 Section corner,

West on Random between Sec. 19 & 30
55.00 Enter Timber crs. N.E. & S.W.
60.00 To a white oak 18 in. dia.
70.50 " " Do Do 12 " "
79.20 Enter S. Range line 3th S. of post, land
level prairie very wet, rolling land timbered
with Blk. & white oak & shortbark

East Corner line between Sec. 19 & 30
39.20 Set g. Sec. post from which
to Blk. Oak 15 in. dia, bears S. 55 E. 33th dia.
" Do Do 10 " " " N. 63 E. 16 " "
79.20 Section corner, July 23rd, 1835

North Between Sections 19 & 20
22.30 Leave prairie & enter Timber crs. N.E. & S.W.
25.40 to Blk. Oak 24 in. dia.

T. 31 N. — R. 9 W. 2nd Mer. Ind. 2nd

- 110.00 Set gr. Sec. post from which
 @ B.M. Oak 18 in. dia. bears S. 49 $\frac{1}{2}$ E. 40 lbs. dist.
 @ Do Do 12 " " " N. 73 E. 45 " "
 43.50 @ Do Do 18 " "
 72.88 @ W. Oak 20 " "
 80.00 Set post cor. to Sec. 17, 18, 19 & 20 from which
 @ G. Oak 12 in. dia. bears S. 87 W. 22 $\frac{1}{2}$ lbs. dist.
 " " Do 8 " " " S. 73 E. 38 " "
 Land gently rolling 3rd rate sand ridges, Bk +
 W. + G. Oak,

East on Random between Sec. 17 & 20

- 20.65 @ B.M. Oak 27 in. dia.
 32.15 " W. Oak 6 " "
 60.50 " B. Oak 10 " "
 68.30 Leave Timber & Enter marsh
 79.90 Intersect E. line of Sec. 13. the N. of post
 Land rolling sand ridges, Timber B.W. + G.
 Oak

West Connect line between Sec. 17 & 20

- 20.50 Intersect Timber cr. S. W. + N. E.
 30.50 @ G. Oak 8 in. dia.
 39.95 Set gr. Sec. post from which
 @ W. Oak 15 in. dia. bears S. 76 E. 70. lbs. dist.
 @ G. Oak 20 " " " N. 15 W. 92 " "
 79.90 Section Corner,

West on Random between Sec. 18 & 19

- 5.00 Intersect West prairie cor. N. E.
 20.00 Leave prairie & Enter timber cr. S. E. + N. W.
 22.25 @ W. Oak 20 in. dia
 30.25 Leave timber & Enter West prairie cr. S. W.
 60.80 Leave prairie & Enter timber.. N. W.
 64.50 @ B. Oak 24 in. dia
 79.03 Intersect W. Boundary 12 lbs. N. of post,

6.2, from which
 @ Y. oak 12 in. dia. bears S. 83 E. 28 lbs. dist.
 @ B. oak 22 " " " N. 48 E. 7.63 " "

East Corner line between Sec. 18 & 19
 5.20 @ Bk oak 18 in. dia.
 18.23 Leave timber & Enter prairie or marsh
 39.03 Set gr. Sec. post in water from which
 @ Y. oak 18 in. dia. bears S. 79 E. 5.76 lbs. dist.
 40.50 Enter timber cr. S. W.
 44.03 Section corner,

North Between Sections 17 & 18
 6.40 @ Y. oak 10 in. dia.
 37.25 @ W. oak 20 " "
 40.00 Set gr. Sec. post from which
 @ Bk oak 20 in. dia. bears N. 76 W. 38 lbs. dist.
 " Do Do 22 " " " S. 33 W. 55 " "
 55.20 Leave timber & Enter low wet prairie cr. E & W.
 80.00 Set post cor. to Sec. 5, 6, 7 & 8 no bearings
 Land $\frac{1}{2}$ rolling 3^{rd} rate Bk & W. oak. Some
 Y. oak & Whortleberry N. $\frac{1}{2}$ low wet prairie

East on Random between Sec. 8 & 17
 36.50 Enter barrens cr. S. E.
 37.50 @ Y. oak 8 in. dia.
 48.50 @ " Do 20 " "
 50.06 Leave barrens & Enter wet prairie cr. N. & S.
 70.10 Leave prairie & Enter timber cr. S. E & N. W.
 79.80 Intersect E. line of Sec. 25 lbs N. of post, land
 prairie wet. timber B. W. & Y. oak, 3^{rd} rate
 Land rises gently rolling.

West Corner line between Sec. 8 & 17
 5.30 To a Bk oak 18 in. dia.
 35.20 " " Do Do 20 " "

T. 31 N. R. 9 W. 2nd Mer. Ind. Co

39.90 Set gr. Sec. post from which
 1 G. Oak 6 in. in dia bears N. 78 W. 76 lks dist.
 2 " Do 5 " " " S. 55 E. 95 " "
 79.80 Section corner.

West on Random between Sec. 7 & 18
 79.10 Intersect W. Boundary 6 lks South of post;

East Correct line between Sec. 7 & 18
 39.10 Set gr. Sec. post in wet prairie no mound
 no bearings
 79.10 Section corner, land low wet prairie
 February 24, 1835

North Between Sections 7 & 8
 40.00 Set gr. Sec. post in low wet prairie no bearings
 80.00 Set post cor. to Sec. 5, 6, 7 & 8 no bearings
 Land low wet prairie

East on Random between Sec. 5 & 8
 79.86 Intersect E. line of Sec. 15 lks N. of post, land
 low wet prairie Swamp Willow, coarse grass

West Correct line between Sec. 5 & 8
 39.93 Set gr. Sec. post, no mound no bearings
 79.86 Section corner, February 25th, 1835,

West on Random between Sec. 6 & 7
 40.00 Set gr. Sec. post in prairie no bearings
 78.56 Intersect West Boundary 15 lks South of post
 Land low wet prairie

East Correct line between Sec. 6 & 7
 38.76 Set gr. Sec. post. no mound no bearings
 78.76 Section corner.

405

T₃₁ M_— B₉ Y_{2nd} Me_— Ind_—

Path Between Sections 5 & 6

10.00 Intersect timber East & West.

12.15 @ H. Oak 3 in. dia.

22.20 Enter wet prairie course E & W.

31.00 Enter Marsh E & W. timber

40.00 Set gn. Sec. post from which

@ Birch 6 in. dia. bears S. 7 W. 24 Mo. dist.

@ Do " " " " S. 23 W. 71 " "

45.50 Intersect left Bank of Kankakee R. on N. 6. & S. W.

a Yellow Oak is over the -

47.91 over R. to right Bank. a Willow 6 in. dia. ca.

measured width of River by reversed sight

50.20 To a Maple 4 in. dia.

52.20 Enter prairie or Marsh

68.25 Leave do do

78.75 Intersect N. Boundary 1.38 Mo. west of post

where set post ca. to Sec. 5 & 6 from which

@ Willow 6 in. dia. bears S. 39 E. 180 Mo. dist.

@ Do 8 " " " S. 27 W. 2.28 " "

Land S. of river principally timber with some

wet prairie or Marsh N. of River part prairie

marsh & part timber Marsh, Birch, Willow,

Maple grey Ash Swamp Ash, wet prairie growth

Saw, Marsh Wild rice Indian Hemp cat

tail &c. February 26th 1835

		Meanders of Kankakee River beginning at post in the East Boundary then down stream on left bank
S. 54 W.	5.00	In Sec 1
S. 3 E.	8.00	
S. 62 W.	3.25	
N. 74 W.	5.00	
S. 6 1/2 W.	5.00	
S. 5 W.	14.00	@ Bangor at 12 Chs. 25 Mo. wide on S. E.
S. 25 1/2 W.	7.00	

Course	Dist.	Meanders Continued of Kankakee River
N. 75 W.	7.50	556 W - 6.50
N. 78 W.	7.00	
N. 49 W.	3.00	
N. 23 W.	3.00	
N. 77 W.	2.00	at 1.00 the head of Willow Bar bearing N.
S. 68 W.	14.00	" 5 chs lower point of do - " N.
S. 63 W.	9.50	" 6.50 the head of Willow Bar N. 25 W.
S. 47 W.	5.50	
S. 8 W.	4.50	from the station foot of Willow Bar, but 45 W.
S. 45 E.	13.00	at 10.00 chs mouth of bayou 250 W. wide
S. 25 W.	5.50	
S. 32 W.	6.50	To line of Sections 1 & 12
S. 58 W.	9.00	In Sec 12
S. 75 W.	6.29	To line of Sec. 11 & 12
N. 52 W.	3.00	in Sec. 11
N. 4 E.	4.50	To line of Sec. 11 & 9
N. 8 E.	4.50	in Sec. 9
N. 49 W.	3.50	
S. 53 W.	8.50	
N. 60 W.	3.50	at 2 chs head of Bayou crs. South
N. 11 W.	10.50	
N. 68 W.	3.00	
S. 38 W.	14.25	
N. 70 W.	4.00	
N. 49 W.	7.50	
N. 85 W.	11.14	
N. 25 W.	3.50	Mouth of Bayou crs, West. 150 W. wide
N. 40 E.	3.50	
N. 72 E.	5.50	
N. 26 E.	7.00	
N. 23 W.	1.50	
S. 88 W.	13.00	
N. 75 W.	6.50	

Course	Chains	Meander of Maucke's River continued
N. 51 W.	5.00	
N. 5 W.	5.00	
N. 26 E.	5.75	
N. 51 E.	5.25	
N. 67 E.	4.00	
N. 4 E.	6.50	
N. 36 E.	3.50	
N. 75 W.	3.00	
S. 27 W.	6.50	
S. 24 W.	1.88	
S. 80 W.	5.31	
N. 55 W.	13.60	
N. 12 W.	15.30	
N. 59 W.	5.22	To line of Sec. 2 & 3, July 28 th 1835

N. 57 W.	6.00	In Sec. 3
N. 19 W.	6.50	To post in N. Boundary
S. 40 W.	8.50	from post in N. Boundary in Sec. 3
N. 58 W.	10.00	
S. 82 W.	5.00	
S. 27 W.	5.00	
S. 12 W.	7.25	
S. 59 W.	6.60	
N. 89 W.	4.00	
N. 55 W.	3.00	
N. 20 E.	10.00	at 4.50 the head of Bayou Collette on 2 nd W.
N. 7 E.	3.00	
N. 40 W.	2.89	To post in N. Boundary in Sec. 3
S. 35 W.	3.00	from N. Boundary in Sec. 3
S. 21 E.	9.25	
S. 11 W.	5.75	at 1.00 Mouth of Bayou on S. W.
S. 79 W.	1.00	
N. 63 W.	4.50	
N. 40 W.	7.25	
N. 12 W.	9.50	

G. 31 N. — R. 9 W. 2nd Mer. Ind. 2nd

Course & Dist. Measures of Kankakee River continued
 N. 22 1/2 W. 2.05 To post in N. boundary
 N. 50 W. 2.24 from post in " do to line of Sec. 3 & 4

G. 60 W. 7.00 In Sec. 4

G. 9 E. 9.50

G. 50 E. 4.25

N. 58 W. 4.00

N. 37 W. 5.50

N. 65 W. 3.50

G. 20 W. 2.50

G. 2 E. 12.00

G. 52 W. 8.50

N. 67 W. 11.50

N. 29 W. 6.50

N. 4 E. 8.00

N. 52 W. 4.00

N. 63 W. 4.00

G. 59 W. 5.00

G. 26 W. 10.00

G. 66 W. 8.50

N. 75 1/2 W. 14.00

G. 78 W. 2.50

G. 71 W. 4.32

To line between Sec. 4 & 5

N. 79 W. 4.00

In Sec. 5

N. 23 W. 3.00

N. 12 E. 4.50

N. 42 W. 3.25

G. 76 W. 3.25

G. 22 W. 13.50

N. 87 W. 5.50

N. 12 W. 7.00

N. 69 W. 2.00

G. 36 W. 1.50

G. 23 E. 6.00

<i>Course</i>	<i>Acres</i>	<i>Meadow of Kankakee River continued</i>
<i>S. 14 W.</i>	<i>5.50</i>	
<i>S. 76 W.</i>	<i>6.00</i>	
<i>S. 42 W.</i>	<i>3.14</i>	
<i>S. 31 W.</i>	<i>4.50</i>	
<i>S. 82 W.</i>	<i>6.75</i>	
<i>N. 44 W.</i>	<i>9.00</i>	
<i>N. 21 W.</i>	<i>11.00</i>	
<i>N. 39 W.</i>	<i>4.00</i>	
<i>N. 85 W.</i>	<i>2.80</i>	
<i>S. 28 W.</i>	<i>10.00</i>	
<i>S. 57 W.</i>	<i>5.50</i>	
<i>S. 71 W.</i>	<i>3.50</i>	
<i>N. 22 W.</i>	<i>5.50</i>	
<i>N. 1 E.</i>	<i>3.50</i>	<i>from this Station a maple at the head</i>
<i>S. 54 W.</i>	<i>4.00</i>	<i>of an Island, bears N. 40 E. 2.01</i>
		<i>To lower part of Island a willow</i>
		<i>bears N. 43 W. 2.50</i>
<i>S. 2 E.</i>	<i>8.50</i>	
<i>S. 39 W.</i>	<i>4.66</i>	
<i>S. 84 W.</i>	<i>3.95</i>	<i>To line of Sec. 5 & 6</i>
<i>N. 39 W.</i>	<i>4.00</i>	<i>In Sec. 6</i>
<i>N. 30 W.</i>	<i>3.00</i>	
<i>N. 77 W.</i>	<i>2.50</i>	
<i>S. 56 W.</i>	<i>13.25</i>	
<i>N. 82 W.</i>	<i>8.50</i>	
<i>N. 72 W.</i>	<i>19.50</i>	
<i>S. 87 W.</i>	<i>7.50</i>	
<i>S. 77 W.</i>	<i>8.75</i>	
<i>S. 87 W.</i>	<i>7.75</i>	
<i>N. 40 W.</i>	<i>4.50</i>	
<i>N. 1 E.</i>	<i>4.50</i>	
<i>N. 29 E.</i>	<i>5.50</i>	
<i>N. 10 E.</i>	<i>3.50</i>	
<i>N. 41 W.</i>	<i>3.00</i>	

T. 31 N. R. 9 W. 2nd Mer. Ind. E

course	Chs.	
S. 73 W.	4.00	
S. 21 W.	3.00	
S. 17 E.	5.75	
S. 1 W.	5.50	
S. 22 W.	5.50	
S. 64 W.	3.86	To post in No. Boundary March 1 st 1835
S. 82 W.	3.61	From post on right bank in Past Boundary from thence down stream In Sec. 1
S. 48 W.	8.50	
S. 16 W.	3.50	
South	3.00	
N. 88 W.	6.00	
S. 42 W.	5.50	
S. 31 E.	5.00	From this station a Brick at the ^{foot} of an Island bears South 57 E,
S. 6 W.	9.00	
S. 27 W.	5.00	
S. 88 W.	5.50	
N. 79 W.	4.50	
N. 61 W.	9.34	when leave marsh & Enter barrens
S. 67 W.	18.50	
S. 57 W.	13.80	
S. 39 W.	5.00	To a Brook 20ths wide, ^{2nd E.} Leave Barrens & Enter marsh
S. 14 W.	6.50	or 50 Wiganau 50ths west
S. 21 E.	4.00	
S. 63 E.	6.50	
S. 14 E.	3.50	
S. 22 W.	2.50	
S. 46 W.	7.00	
S. 51 W.	2.71	To line of Sec. 1 & 12
S. 41 W.	4.50	In Sec. 12
S. 88 W.	3.00	
N. 6 E.	3.50	To line of Sec. 1 & 12

G. 31 N. - B. 9 T. 2nd Sec. Indiana, 411

Course	Chs.	Meanders of Kankakee River continued
N. 11 E.	5.00	In Sec. 1
N. 33 W.	4.25	To the line of Sec. 1 & 12
N. 77 W.	3.36	In Sec. 2
S. 48 W.	6.41	
N. 47 W.	2.00	
N. 4 W.	7.00	
N. 40 W.	3.50	
N. 70 W.	7.00	at 6 chs. head of Bayou Collette on north
S. 32 W.	3.50	
S. 26 W.	5.75	
S. 74 W.	5.50	
N. 57 W.	8.00	
S. 84 W.	4.65	
N. 20 E.	13.00	
N. 37 W.	3.00	
West	3.50	
N. 87 W.	13.50	at 4 chains mouth of bayou 200 N. river
N. 65 W.	5.00	
N. 3 E.	5.75	
N. 46 E.	12.50	
N. 8 E.	4.75	
N. 30 E.	8.00	
N. 66 W.	4.75	
S. 59 W.	4.50	
S. 24 W.	8.00	
S. 45 W.	5.00	
N. 53 W.	5.20	
S. 40 W.	8.00	
N. 65 W.	7.35	
N. 22 W.	9.00	
N. 3 E.	9.75	
N. 89 W.	8.06	To line of Sec. 2 & 3; March 2 nd 1835
N. 30 W.	3.75	In Sec. 3

31 N. B. 9 W. 2nd Mer. Indiana

Course	Co, Mo,	Mearaus of Kankakee River continued
S. 20 W,	4.75	In Section from Maple cr,
S. 9 W,	4.50	
S. 26 W,	3.00	
S. 52 W,	3.00	
N. 61 W,	2.00	
N. 11 E,	10.50	
N. 2 1/2 W,	2.15	to a Birch in North Boundary
S. 16 W,	2.50	from post in North Boundary
S. 18 E,	5.00	
S. 32 E,	5.37	
S. 42 W,	4.00	
S. 76 W,	5.50	
N. 45 W,	5.50	
N. 18 W,	8.75	
N. 30 E,	3.52	To post in North Boundary Birch cr,
S. 48 W,	4.00	From birch cr, in N. Bound? down stream
S. 24 W,	3.50	in Sec; 11
South	2.50	
S. 20 E,	4.50	
S. 65 W,	1.50	
N. 54 W,	7.67	
N. 85 W,	3.00	outlet of bayou 5000th side cr, west
S. 46 W,	4.00	Do " " 20 " " " N. 10,
South	4.00	
S. 27 W,	10.50	
West	4.00	
N. 50 W,	2.50	
N. 17 W,	17.25	
N. 65 W,	6.50	Mouth of bayou 2,000th side
S. 57 W,	8.50	
S. 26 W,	8.00	
S. 56 W,	5.00	
S. 82 W,	5.50	

T. 31 N. R. 9 W. 2nd Mer. Indiana 413

Course	Chs.	Meanders of Kankakee River continued
N. 76 W.	9.50	
S. 75 W.	7.32	To line of Sec. 4 & 5
N. 71 W.	2.00	In Sec. 5
N. 5 1/2 W.	8.00	
N. 74 W.	3.50	
S. 87 W.	3.00	
S. 54 W.	3.50	
S. 26 W.	9.00	
S. 47 W.	3.00	
N. 20 W.	6.00	
N. 69 W.	4.00	
S. 64 W.	3.00	
S. 21 W.	3.00	
S. 14 E.	6.00	
S. 43 W.	5.00	
S. 55 W.	11.25	
N. 51 W.	6.00	
N. 28 W.	15.50	
N. 59 W.	3.50	
S. 79 W.	4.50	
S. 37 E.	5.00	
S. 29 W.	7.50	
N. 88 W.	3.00	
N. 24 W.	3.25	
N. 20 E.	8.50	
N. 7 W.	4.00	at 1 chain a Wigwag
N. 50 W.	3.50	
N. 74 W.	4.00	
S. 79 W.	4.50	
S. 43 W.	3.00	
S. 6 E.	8.75	
S. 20 E.	6.00	
S. 1 W.	5.75	
S. 60 1/2 W.	4.90	To line of Sec. 5 & 6

T. 31 N. R. 9 W. 2nd Mer. Indiana

Course	Co. Lks.	Meanders of Maubake River continued In Sec. 6
N. 17 W.	5.75	
N. 77 W.	5.50	
S. 68 W.	4.00	
S. 55 W.	5.50	
S. 60 W.	5.17	
N. 88 W.	3.50	
N. 67 W.	7.00	
N. 87 $\frac{1}{2}$ W.	10.00	
N. 75 W.	4.00	at 350 lks. an outlet course N. E. 50 W. wide
N. 89 W.	12.50	
S. 67 W.	8.50	
N. 58 W.	3.50	
N. 15 E.	12.00	
N. 36 W.	8.50	
S. 55 W.	8.00	
S. 17 W.	4.00	
S. 9 E.	8.50	
S. 45 W.	3.78	To post in West Boundary
Course	Co. Lks.	Meanders of Beaver Lake from post on Town line South Side of Sec. 31 In Sec. 31
N. 21 $\frac{1}{2}$ E.	16.25	
N. 78 E.	20.52	
S. 48 E.	29.49	To post on Town line cor. To Sec. 31 & 32
		from post on Town line between T. 30 & 31 South Side of Sec. 33 West Side of Lake In Sec. 33
N. 3 $\frac{1}{2}$ W.	13.75	
N. 44 E.	53.90	
N. 60 $\frac{1}{2}$ E.	22.43	To post on line between Sec. 33 & 34
S. 53 E.	35.43	In Sec. 34
S. 55 E.	14.35	
N. 84 $\frac{1}{2}$ E.	11.08	
S. 79 $\frac{1}{2}$ E.	21.38	

Course	C. No.	Meander of Beaver Lake continued
S. 57. E.	9.56	To post on line between S. 34 & 35
S. 74 $\frac{1}{2}$ E.	18.60	In Sec 35
S. 53 $\frac{1}{2}$ E.	15.87	
S. 67 E.	11.25	
S. 62 $\frac{1}{2}$ E.	29.36	To post on Town Line, Feb'y 25 th 1835
<p>I hereby certify that in pursuance of contract with Mr. J. Williams Surveyor General of the United States, for the State of Ohio & Indiana & the Territory of Michigan, bearing date the 26th of September 1834 & in strict conformity to the Laws of the United States & the Instructions of said Surveyor General, I have Meandered so much of the Beaver Lake as lies in Township No. 31 North of Range No. 9 West of the Second principal Meridian in the State of Indiana & that the foregoing are the true & original field notes of said meanders.</p> <p>Certified this 11th day of March 1835</p> <p>Samuel Goodman</p> <p>Robert P. Wilson } Dept. Secy George Hoover } Chainmen Evel James } Markers</p>		

This Township a great portion of it is wet prairie or in other words entirely a marsh there is a small portion of Timber growing along the margin of Kankakee River the whole Township bears the aspect of that of the surrounding Country, alike interspersed with with sand ridges which are dry and denotes a country of any inducement to invite the emigrant to locate there, the marshes are principally

T. 31 N. — R. 9 W. 2nd Mer. Ind. 417

I certify that the foregoing Transcript of field notes of Township 31 North of Range 9 West 2nd Meridian, State of Indiana, has been compared with the original in this office and found to be correct

William Johnston
Supt. Genl.

Survey General's office
Cincinnati Dec^r 30th, 1842 B